| WORLD SERIES OF BIRDING ~ SPECIES RECORDED BY DVOC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | dvoc2 | | dvoc2 | | dvoc 2 | | dvoc2 | | | | | |
| | Percent of years seen | Number of years missed | Number of years seen | 5/11 2013 | 5/12 2012 | 5/14 2011 | 5/15 2010 | 5/9 2009 | 5/10 2008 | 5/12 2007 | 5/13 2006 | 5/14 2005 | 5/15 2004 | 5/10 2003 | 5/11 2002 | 5/12 2001 | 5/13 2000 | 5/15 1999 | 5/9 1998 | 5/10 1997 | 5/11 1996 | 5/13 1995 | 5/14 1994 | 5/15 1993 | 5/16 1992 | 5/18 1991 | 5/18 1991 | 5/19 1990 | 5/19 1990 | 5/13 1989 | 5/13 1989 | 5/14 1988 | 5/14 1988 | 5/15 1987 | 1986 | 5/18 1985 | 5/19 1984 | |
| Red-throated Loon | 45% | 16 | 13 | | | X | X | | | X | | | | X | | X | | X | X | | | | X | X | X | | | | | X | | | | X | NO | | X | Red-throated Loon |
| Common Loon | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | X | X | | | X | TEAM | X | X | Common Loon |
| Pied-billed Grebe | 76% | 7 | 22 | | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | X | X | | X | X | X | | X | | | | | | Pied-billed Grebe |
| Horned Grebe | 14% | 25 | 4 | | | | | | | | | | | | | | X | | X | | | | X | | | | | | | | | | | | | | | X | Horned Grebe |
| Red-necked Grebe | 10% | 26 | 3 | | | | | | | | | | X | X | | | | | | | | | X | | | | | | | | | | | | | | | | Red-necked Grebe |
| Northern Gannet | 83% | 5 | 24 | | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | X | X | X | X | | | X | | Northern Gannet |
| American White Pelican | 3% | 28 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | American White Pelican |
| Brown Pelican | 10% | 26 | 3 | | | | X | | | | | | | | | X | | | | | | | | | X | | | | | | | | | | | | | Brown Pelican |
| Great Cormorant | 69% | 9 | 20 | | | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | X | X | X | X | | | X | | X | | X | | | | | | Great Cormorant |
| Double-crested Cormorant | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Double-crested Cormorant |
| American Bittern | 55% | 13 | 16 | | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | X | X | | | | | | | | | | | | | American Bittern |
| Least Bittern | 66% | 10 | 19 | | | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | X | | X | | X | | | | X | | | | | | X | X | Least Bittern |
| Great Blue Heron | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Great Blue Heron |
| Great Egret | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Great Egret |
| Snowy Egret | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Snowy Egret |
| Little Blue Heron | 97% | 1 | 28 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Little Blue Heron |
| Tri-colored Heron | 86% | 4 | 25 | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | X | | X | X | X | X | X | X | X | X | | X | X | X | X | | X | X | Tri-colored Heron |
| Cattle Egret | 97% | 1 | 28 | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Cattle Egret |
| Green Heron | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | X | Green Heron |
| Black-crowned Night-Heron | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Black-crowned Night-Heron |
| Yellow-crowned Night-Heron | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Yellow-crowned Night-Heron |
| Glossy Ibis | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Glossy Ibis |
| White-faced Ibis | 3% | 28 | 1 | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | White-faced Ibis |
| Mute Swan | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Mute Swan |
| Snow Goose | 86% | 4 | 25 | X | | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | X | X | X | | | X | X | Snow Goose |
| Brant | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | | X | X | Brant |
| Canada Goose | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Canada Goose |
| Wood Duck | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | X | X | Wood Duck |
| Green-winged Teal | 76% | 7 | 22 | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | | | X | X | | | | | | | Green-winged Teal |
| American Black Duck | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | American Black Duck |
| Mallard | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Mallard |
| Northern Pintail | 34% | 19 | 10 | | | | | X | | | | X | X | X | | | | X | | | X | X | | | | | | X | X | X | | | | X | | | | Northern Pintail |
| Blue-winged Teal | 90% | 3 | 26 | | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | | X | X | Blue-winged Teal |
| Northern Shoveler | 38% | 18 | 11 | X | | | X | | | | | X | | | | | X | | | X | | X | | | X | | | | X | X | | X | | X | | X | X | Northern Shoveler |
| Gadwall | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Gadwall |
| American Wigeon | 17% | 24 | 5 | | | | X | | | | | X | X | | X | X | | | | | | | | | | | | | | | | | | | | | | American Wigeon |
| Ring-necked Duck | 17% | 24 | 5 | | | | | X | X | X | | | | X | | | | | | | | | | | | X | | | | | | | | | | | | Ring-necked Duck |
| Greater Scaup | 24% | 22 | 7 | | | X | | X | X | X | | | | | X | | X | | | X | | | | | | | | | | | | | | | | | | Greater Scaup |
| Lesser Scaup | 24% | 22 | 7 | | | | | X | | X | | | | X | | | X | | | | | | | | | X | | | | | | | | | | X | X | Lesser Scaup |
| Common Eider | 10% | 26 | 3 | | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | Common Eider |
| Long-tailed Duck (Oldsquaw) | 21% | 23 | 6 | | | | | | X | X | | | | | | | | | | | | | | X | X | X | | | | | | | | X | | | | Long-tailed Duck (Oldsquaw) |
| Black Scoter | 72% | 8 | 21 | X | X | X | X | | X | X | X | | X | X | X | | X | X | X | | X | X | X | X | X | X | | X | | X | X | | | | | | | Black Scoter |
| Surf Scoter | 59% | 12 | 17 | X | | X | X | | X | | X | | X | | | | X | X | X | | X | X | | X | X | X | | X | | X | X | | | | | X | | Surf Scoter |
| White-winged Scoter | 17% | 24 | 5 | | | | | | | X | X | | | X | | | | | | | | | | | | | | | | X | | | | | | | X | White-winged Scoter |
| Common Goldeneye | 10% | 26 | 3 | | | | | | | | | | | | | | | | | | | | | | | X | | | | X | | | | X | | | | Common Goldeneye |
| Bufflehead | 48% | 15 | 14 | | X | X | X | X | X | X | | X | X | X | | | | | | | X | | | | X | | | X | X | X | | X | | | | | | Bufflehead |
| Hooded Merganser | 17% | 24 | 5 | | X | | X | | | | | | | X | | | X | | | | | | | | | | | | | | | | | X | | | | Hooded Merganser |
| Common Merganser | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | | | X | | X | | | | Common Merganser |
| Red-breasted Merganser | 72% | 8 | 21 | | | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | | X | X | X | | X | | | | X | | | | | | X | X | Red-breasted Merganser |
| Ruddy Duck | 59% | 12 | 17 | | X | X | X | X | X | X | X | | | X | X | | X | X | X | X | X | | | | | | X | | | | X | | X | X | | X | X | Ruddy Duck |
| Black Vulture | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | X | | X | | X | X | | | X | | Black Vulture |
| Turkey Vulture | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Turkey Vulture |
| Osprey | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | Osprey |
| Mississippi Kite | 7% | 27 | 2 | | | | | | | | | | X | | | | | X | | | | | | | | | | | | | | | | | | | | Mississippi Kite |
| Bald Eagle | 69% | 9 | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | | | | X | | X | | | | Bald Eagle |
| Northern Harrier | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | | X | | Northern Harrier |
| Sharp-shinned Hawk | 59% | 12 | 17 | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | | | | | | | | X | | | X | X | | | | | Sharp-shinned Hawk |
| Cooper's Hawk | 69% | 9 | 20 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | X | X | X | | | | | | | | | | | | | Cooper's Hawk |
| Northern Goshawk | 14% | 25 | 4 | | | | X | | | | | | | | X | X | | | | | X | | | | | | | | | | | | X | | | | | Northern Goshawk |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | dvoc2 | | dvoc2 | | dvoc 2 | | dvoc2 | | | | | |
| | **Percent of** | **Number of** | **Number of** | **5/11** | **5/12** | **5/14** | **5/15** | **5/9** | **5/10** | **5/12** | **5/13** | **5/14** | **5/15** | **5/10** | **5/11** | **5/12** | **5/13** | **5/15** | **5/9** | **5/10** | **5/11** | **5/13** | | **5/15** | **5/16** | **5/18** | **5/18** | **5/19** | **5/19** | **5/13** | **5/13** | **5/14** | **5/14** | **5/15** | | **5/18** | **5/19** | |
| | **years seen** | **years missed** | **years seen** | **2013** | **2012** | **2011** | **2010** | **2009** | **2008** | **2007** | **2006** | **2005** | **2004** | **2003** | **2002** | **2001** | **2000** | **1999** | **1998** | **1997** | **1996** | **1995** | **1994** | **1993** | **1992** | **1991** | **1991** | **1990** | **1990** | **1989** | **1989** | **1988** | **1988** | **1987** | **1986** | **1985** | **1984** | |
| Red-shouldered Hawk | 66% | 10 | 19 | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | | | X | | X | | | | | X | | | | | | | | | Red-shouldered Hawk |
| Broad-winged Hawk | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | | | | | X | X | Broad-winged Hawk |
| Red-tailed Hawk | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Red-tailed Hawk |
| American Kestrel | 93% | 2 | 27 | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | | X | X | X | X | X | | X | X | American Kestrel |
| Merlin | 7% | 27 | 2 | | | | | | | | | | | | | | | X | | | | | X | | | | | | | | | | | | | | | Merlin |
| Peregrine | 86% | 4 | 25 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | | X | X | | X | X | | | X | Peregrine |
| Ring-necked Pheasant | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | | | X | | Ring-necked Pheasant |
| Ruffed Grouse | 62% | 11 | 18 | | X | X | X | X | X | X | X | X | X | X | | X | | X | X | X | X | | | | | | | | | X | | | | X | | X | | Ruffed Grouse |
| Wild Turkey | 86% | 4 | 25 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | | | X | | | | X | | Wild Turkey |
| Northern Bobwhite | 90% | 3 | 26 | | | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | X | X | Northern Bobwhite |
| Yellow Rail | 7% | 27 | 2 | | | | | | | | | | | | | | | X | | | | | X | | | | | | | | | | | | | | | Yellow Rail |
| Black Rail | 48% | 15 | 14 | | | | X | | X | X | | X | | X | X | | X | | | | | X | | X | X | X | | X | X | | | X | | | | | X | Black Rail |
| Clapper Rail | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Clapper Rail |
| King Rail | 79% | 6 | 23 | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | X | X | X | X | | X | | X | | | | | | King Rail |
| Virginia Rail | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Virginia Rail |
| Sora | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | | X | X | | X | X | Sora |
| Common Gallinule | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | | | | X | | | X | Common Moorhen |
| Purple Gallinule | 3% | 28 | 1 | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | Purple Gallinule |
| American Coot | 69% | 9 | 20 | | X | X | X | X | | X | X | X | X | X | X | | X | X | X | X | | X | | | | | | X | X | X | X | | | X | | X | X | American Coot |
| Black-bellied Plover | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Black-bellied Plover |
| Semipalmated Plover | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Semipalmated Plover |
| Piping Plover | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | X | | X | X | Piping Plover |
| Killdeer | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Killdeer |
| American Oystercatcher | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | American Oystercatcher |
| Black-necked Stilt | 7% | 27 | 2 | | | | | | | X | | | | | | | | | | | | | | | | | | | | X | X | | | | | | | Black-necked Stilt |
| Greater Yellowlegs | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Greater Yellowlegs |
| Lesser Yellowlegs | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | X | X | X | X | X | X | | | | Lesser Yellowlegs |
| Solitary Sandpiper | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | X | | | | | X | Solitary Sandpiper |
| Willet | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Willet |
| Spotted Sandpiper | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Spotted Sandpiper |
| Upland Sandpiper | 38% | 18 | 11 | | | | | | | | | | | | | | | X | | X | X | X | | X | X | X | | X | | | | X | X | X | | X | | Upland Sandpiper |
| Whimbrel | 97% | 1 | 28 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Whimbrel |
| Marbled Godwit | 17% | 24 | 5 | | | | X | X | X | | | | | X | | | | | | | | | X | | | | | | | | | | | | | | | Marbled Godwit |
| Ruddy Turnstone | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Ruddy Turnstone |
| Red Knot | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | | | X | X | Red Knot |
| Sanderling | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Sanderling |
| Semipalmated Sandpiper | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Semipalmated Sandpiper |
| Western Sandpiper | 10% | 26 | 3 | | | | | | | | | | | | | | | | | | | | | | | X | | | | X | | | | | | X | | Western Sandpiper |
| Least Sandpiper | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Least Sandpiper |
| White-rumped Sandpiper | 79% | 6 | 23 | X | X | | X | X | X | X | X | X | X | X | X | | | X | X | X | | X | X | X | X | X | X | X | X | X | | X | | | | X | | White-rumped Sandpiper |
| Pectoral Sandpiper | 24% | 22 | 7 | | | | X | | | X | | X | | X | | | | X | | X | | | | | | | | | | | | | | | | | X | Pectoral Sandpiper |
| Purple Sandpiper | 90% | 3 | 26 | | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Purple Sandpiper |
| Dunlin | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Dunlin |
| Curlew Sandpiper | 17% | 24 | 5 | | | X | | | X | | | X | | | | | | | | | | | | | | | X | | | | | | | | | X | X | Curlew Sandpiper |
| Stilt Sandpiper | 17% | 24 | 5 | | | | | | | X | | | X | | | | | | | | | | | | X | | X | | | X | X | | | X | | | | Stilt Sandpiper |
| Ruff | 3% | 28 | 1 | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | Ruff |
| Short-billed Dowitcher | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Short-billed Dowitcher |
| Long-billed Dowitcher | 10% | 26 | 3 | | | | | | X | | | | | | | | X | | | | | | | | | | | | | X | | | | | | | | Long-billed Dowitcher |
| Wilson's Snipe | 34% | 19 | 10 | | | X | | X | X | X | | X | | X | X | X | | | | X | | | | | | | | | | | | | | | | | X | Wilson's Snipe |
| American Woodcock | 90% | 3 | 26 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | X | X | X | X | X | X | X | | X | | American Woodcock |
| Parasitic Jaeger | 21% | 23 | 6 | | X | X | | | | | X | X | | | X | | | | X | | | | | | | | | | | | | | | | | | | Parasitic Jaeger |
| Laughing Gull | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Laughing Gull |
| Little Gull | 7% | 27 | 2 | | | | | | | | | | | | | | | X | X | | | | | | | | | | | | | | | | | | | Little Gull |
| Black-headed Gull | 3% | 28 | 1 | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | Black-headed Gull |
| Bonaparte's Gull | 41% | 17 | 12 | X | | | | X | | X | X | | | X | | | | X | X | | X | | | | | X | X | X | | X | | | | | | X | | Bonaparte's Gull |
| Ring-billed Gull | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Ring-billed Gull |
| Herring Gull | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Herring Gull |
| Iceland Gull | 14% | 25 | 4 | | | | | | X | | X | | | X | | | | | | | | | | | | X | | | | | | | | | | | | Iceland Gull |
| Lesser Black-backed Gull | 41% | 17 | 12 | | | X | X | X | X | | X | X | | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | Lesser Black-backed Gull |
| Glaucous Gull | 14% | 25 | 4 | | | | | | X | | | | | X | X | | X | | | | | | | | | | | | | | | | | | | | | Glaucous Gull |
| Great Black-backed Gull | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Great Black-backed Gull |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | dvoc2 | | dvoc2 | | dvoc 2 | | dvoc2 | | | | | | |
| | Percent of | Number of | Number of | 5/11 | 5/12 | 5/14 | 5/15 | 5/9 | 5/10 | 5/12 | 5/13 | 5/14 | 5/15 | 5/10 | 5/11 | 5/12 | 5/13 | 5/15 | 5/9 | 5/10 | 5/11 | 5/13 | 5/14 | 5/15 | 5/16 | 5/18 | 5/18 | 5/19 | 5/19 | 5/13 | 5/13 | 5/14 | 5/14 | 5/15 | | 5/18 | 5/19 | |
| | years seen | years missed | years seen | 2013 | 2012 | 2011 | 2010 | 2009 | 2008 | 2007 | 2006 | 2005 | 2004 | 2003 | 2002 | 2001 | 2000 | 1999 | 1998 | 1997 | 1996 | 1995 | 1994 | 1993 | 1992 | 1991 | 1991 | 1990 | 1990 | 1989 | 1989 | 1988 | 1988 | 1987 | 1986 | 1985 | 1984 | |
| Gull-billed Tern | 83% | 5 | 24 | | | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Gull-billed Tern |
| Caspian Tern | 66% | 10 | 19 | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | | X | | | X | | | | | | | X | X | | | | X | | Caspian Tern |
| Royal Tern | 55% | 13 | 16 | | | X | X | X | X | | X | X | X | | X | X | X | | X | X | | X | X | X | | | | | | | | | | | | | | X | Royal Tern |
| Common Tern | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Common Tern |
| Forster's Tern | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Forster's Tern |
| Least Tern | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | X | X | Least Tern |
| Black Tern | 17% | 24 | 5 | | | | | X | | | | X | | X | | | | | X | | | | | | X | | | | | | | | | | | | | Black Tern |
| Arctic Tern | 3% | 28 | 1 | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | Arctic Tern |
| Black Skimmer | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Black Skimmer |
| Rock Pigeon | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Rock Dove |
| Mourning Dove | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Mourning Dove |
| Eurasian Collared Dove | 14% | 25 | 4 | X | X | | | | X | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | Eurasian Collared Dove |
| Black-billed Cuckoo | 72% | 8 | 21 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | | X | X | X | X | | | | | | | | X | | X | | Black-billed Cuckoo |
| Yellow-billed Cuckoo | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | | Yellow-billed Cuckoo |
| Barn Owl | 97% | 1 | 28 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | Barn Owl |
| Eastern Screech Owl | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | | | X | X | Eastern Screech Owl |
| Great Horned Owl | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | | X | | Great Horned Owl |
| Barred Owl | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | | Barred Owl |
| Long-eared Owl | 24% | 22 | 7 | X | | X | X | X | | | | | | | | | | X | | | | | X | | X | | | | | | | | | | | | | Long-eared Owl |
| Saw-whet Owl | 24% | 22 | 7 | | | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | X | X | Saw-whet Owl |
| Common Nighthawk | 69% | 9 | 20 | | X | X | X | X | X | X | X | X | X | X | | | | | | | X | X | X | X | X | X | X | X | X | | X | X | | X | | | X | Common Nighthawk |
| Chuck-wills-widow | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | X | X | | X | X | Chuck-wills-widow |
| Whip-poor-will | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | Whip-poor-will |
| Chimney Swift | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Chimney Swift |
| Ruby-throated Hummingbird | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | X | X | X | | X | X | Ruby-throated Hummingbird |
| Belted Kingfisher | 76% | 7 | 22 | X | | | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | X | X | | X | X | | X | X | | X | X | | X | X | Belted Kingfisher |
| Red-headed Woodpecker | 76% | 7 | 22 | | | X | X | X | X | X | X | X | X | | | | | X | | X | X | X | X | X | X | X | | X | | X | X | X | X | | | X | X | Red-headed Woodpecker |
| Pileated Woodpecker | 72% | 8 | 21 | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | X | | X | | X | | | X | | X | | X | | | | | | Pileated Woodpecker |
| Red-bellied Woodpecker | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Red-bellied Woodpecker |
| Yellow-bellied Sapsucker | 48% | 15 | 14 | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | | | | | | | | | | | | | | | | | | | Yellow-bellied Sapsucker |
| Downy Woodpecker | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Downy Woodpecker |
| Hairy Woodpecker | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | X | X | Hairy Woodpecker |
| Northern Flicker | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Northern Flicker |
| Eastern Wood-Pewee | 93% | 2 | 27 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | | X | X | X | | X | X | Eastern Wood-Pewee |
| Yellow-bellied Flycatcher | 3% | 28 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | Yellow-bellied Flycatcher |
| Acadian Flycatcher | 90% | 3 | 26 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | | | X | Acadian Flycatcher |
| Alder Flycatcher | 10% | 26 | 3 | | | | | | | | | | X | | | | X | | | | | | | | | | | X | | | | | | | | | | Alder Flycatcher |
| Willow Flycatcher | 48% | 15 | 14 | | | X | X | X | X | | X | X | X | | X | | X | X | | | | | | | | X | X | X | X | | | X | X | | | | X | Willow Flycatcher |
| Least Flycatcher | 69% | 9 | 20 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | X | X | | X | X | X | | | | | | X | Least Flycatcher |
| Eastern Phoebe | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Eastern Phoebe |
| Great Crested Flycatcher | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Great Crested Flycatcher |
| Eastern Kingbird | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Eastern Kingbird |
| Horned Lark | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | X | | | | X | X | Horned Lark |
| Purple Martin | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Purple Martin |
| Tree Swallow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Tree Swallow |
| Northern Rough-winged Swallow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Northern Rough-winged Swallow |
| Bank Swallow | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | | X | X | Bank Swallow |
| Cliff Swallow | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | X | X | X | X | X | | | | X | X | Cliff Swallow |
| Cave Swallow | 3% | 28 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | Cave Swallow |
| Barn Swallow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Barn Swallow |
| Blue Jay | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Blue Jay |
| American Crow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | American Crow |
| Fish Crow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Fish Crow |
| Common Raven | 72% | 8 | 21 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | | | | | | | | | | | Common Raven |
| Black-capped Chickadee | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Black-capped Chickadee |
| Carolina Chickadee | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | | Carolina Chickadee |
| Tufted Titmouse | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Tufted Titmouse |
| Red-breasted Nuthatch | 45% | 16 | 13 | | | X | X | X | X | X | X | X | X | X | X | X | | | | | | | X | | | | X | | | | X | | | | | | X | Red-breasted Nuthatch |
| White-breasted Nuthatch | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | | X | X | White-breasted Nuthatch |
| Brown Creeper | 72% | 8 | 21 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | X | X | | | X | X | X | | X | | | | | Brown Creeper |
| Carolina Wren | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Carolina Wren |
| House Wren | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | House Wren |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | dvoc2 | | dvoc2 | | dvoc 2 | | dvoc2 | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **Percent of** | **Number of** | **Number of** | **5/11** | **5/12** | **5/14** | **5/15** | **5/9** | **5/10** | **5/12** | **5/13** | **5/14** | **5/15** | **5/10** | **5/11** | **5/12** | **5/13** | **5/15** | **5/9** | **5/10** | **5/11** | **5/13** | **5/14** | **5/15** | **5/16** | **5/18** | **5/18** | **5/19** | **5/19** | **5/13** | **5/14** | **5/14** | **5/15** | | **5/18** | **5/19** | |
| | **years seen** | **years missed** | **years seen** | **2013** | **2012** | **2011** | **2010** | **2009** | **2008** | **2007** | **2006** | **2005** | **2004** | **2003** | **2002** | **2001** | **2000** | **1999** | **1998** | **1997** | **1996** | **1995** | **1994** | **1993** | **1992** | **1991** | **1991** | **1990** | **1990** | **1989** | **1989** | **1988** | **1988** | **1987** | **1986** | **1985** | **1984** | |
| Winter Wren | 31% | 20 | 9 | | | X | X | X | X | | X | X | X | | | | | X | | X | | | | | | | | | X | | X | | | | | | | | Winter Wren |
| Sedge Wren | 7% | 27 | 2 | | | | | | | | | | | | | | | X | | | | | | | | | X | X | | | | | | | | | | | Sedge Wren |
| Marsh Wren | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Marsh Wren |
| Golden-crowned Kinglet | 48% | 15 | 14 | X | | X | | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | | | X | | X | | X | | X | | | | | Golden-crowned Kinglet |
| Ruby-crowned Kinglet | 21% | 23 | 6 | | | | | | | | | X | | X | X | | X | X | | X | | | | | | | | | | | | X | | | | | | Ruby-crowned Kinglet |
| Blue-gray Gnatcatcher | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Blue-gray Gnatcatcher |
| Eastern Bluebird | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | | X | | Eastern Bluebird |
| Veery | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Veery |
| Gray-cheeked Thrush | 72% | 8 | 21 | X | | X | X | X | | X | X | X | X | X | X | X | X | X | | | X | X | X | X | | X | | | X | X | | | | | | X | X | Gray-cheeked Thrush |
| Swainson's Thrush | 97% | 1 | 28 | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | Swainson's Thrush |
| Hermit Thrush | 66% | 10 | 19 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | X | | | | X | | X | | | | | | | Hermit Thrush |
| Wood Thrush | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Wood Thrush |
| American Robin | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | American Robin |
| Gray Catbird | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Gray Catbird |
| Northern Mockingbird | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Northern Mockingbird |
| Brown Thrasher | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Brown Thrasher |
| American Pipit | 21% | 23 | 6 | | | | | | X | X | | | | | | | | X | X | | | X | X | | | | | | | | | | | | | | | | American Pipit |
| Cedar Waxwing | 83% | 5 | 24 | | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | | X | | X | X | X | X | X | X | X | X | X | X | | | X | X | Cedar Waxwing |
| European Starling | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | European Starling |
| White-eyed Vireo | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | White-eyed Vireo |
| Blue-headed Vireo | 62% | 11 | 18 | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | X | | X | | X | | X | | X | | | | | Blue-headed Vireo |
| Yellow-throated Vireo | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | | | X | X | Yellow-throated Vireo |
| Warbling Vireo | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Warbling Vireo |
| Red-eyed Vireo | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Red-eyed Vireo |
| Philadelphia Vireo | 7% | 27 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | X | | | | | | Philadelphia Vireo |
| Blue-winged Warbler | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | X | Blue-winged Warbler |
| Golden-winged Warbler | 48% | 15 | 14 | | | X | X | X | | X | X | X | X | X | X | X | X | X | | | X | | | | | | | | X | | X | | X | X | | | | Golden-winged Warbler |
| Tennessee Warbler | 62% | 11 | 18 | | X | X | X | X | X | X | | | | X | X | X | X | | X | X | X | X | | | | | | X | X | | X | X | X | X | | | X | Tennessee Warbler |
| Orange-crowned Warbler | 3% | 28 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | Orange-crowned Warbler |
| Nashville Warbler | 55% | 13 | 16 | | | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | X | | | | | | X | X | | | | | | | | | Nashville Warbler |
| Northern Parula | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Northern Parula |
| Yellow Warbler | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Yellow Warbler |
| Chestnut-sided Warbler | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | | X | X | X | X | X | | | X | X | Chestnut-sided Warbler |
| Magnolia Warbler | 83% | 5 | 24 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | X | | | X | X | | | X | X | | | X | X | Magnolia Warbler |
| Cape May Warbler | 69% | 9 | 20 | | X | X | X | X | X | X | X | | | X | X | X | X | X | | X | X | X | | | X | | | X | | | | X | | | | X | X | Cape May Warbler |
| Black-throated Blue Warbler | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | X | Black-throated Blue Warbler |
| Yellow-rumped Warbler | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | | X | X | Yellow-rumped Warbler |
| Black-throated Green Warbler | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | X | X | X | X | X | X | X | X | | | X | Black-throated Green Warbler |
| Blackburian Warbler | 86% | 4 | 25 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | X | X | X | | | | | X | Blackburian Warbler |
| Yellow-throated Warbler | 86% | 4 | 25 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | | X | | | | | X | X | Yellow-throated Warbler |
| Pine Warbler | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Pine Warbler |
| Prairie Warbler | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Prairie Warbler |
| Bay-breasted Warbler | 72% | 8 | 21 | | X | | X | X | | X | X | | X | X | X | | X | X | X | | X | X | X | X | X | | | X | X | X | | X | | | | X | X | Bay-breasted Warbler |
| Blackpoll Warbler | 86% | 4 | 25 | | X | X | X | X | X | X | X | X | X | | X | X | X | X | | | X | X | X | X | X | X | X | X | X | X | | X | | X | | X | X | Blackpoll Warbler |
| Cerulean Warbler | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | X | X | X | | | | X | X | Cerulean Warbler |
| Black-and-white Warbler | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Black-and-white Warbler |
| American Redstart | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | American Redstart |
| Prothonotary Warbler | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | | X | | | | | X | X | Prothonotary Warbler |
| Worm-eating Warbler | 97% | 1 | 28 | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Worm-eating Warbler |
| Swainson's Warbler | 10% | 26 | 3 | | | | | | X | | | | | | X | | | | | | | | X | | | | | | | | | | | | | | | Swainson's Warbler |
| Ovenbird | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | | X | X | Ovenbird |
| Northern Waterthrush | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | X | X | X | | X | X | | | X | X | Northern Waterthrush |
| Louisiana Waterthrush | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Louisiana Waterthrush |
| Kentucky Warbler | 90% | 3 | 26 | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | X | | X | | X | | | | X | X | Kentucky Warbler |
| Mourning Warbler | 7% | 27 | 2 | | | | | | | | | | | | | X | | | | | | | X | | | | | | | | | | | | | | | Mourning Warbler |
| Common Yellowthroat | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Common Yellowthroat |
| Hooded Warbler | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | | X | X | Hooded Warbler |
| Wilson's Warbler | 38% | 18 | 11 | | | X | X | | | X | | X | | | X | X | X | | | | | | X | | X | | | | | | | X | | | | | X | Wilson's Warbler |
| Canada Warbler | 83% | 5 | 24 | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | X | X | X | X | | X | X | X | | X | X | | X | | X | X | Canada Warbler |
| Yellow-breasted Chat | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Yellow-breasted Chat |
| Summer Tanager | 86% | 4 | 25 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | X | | X | | X | X | X | | X | | X | | X | | Summer Tanager |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | dvoc2 | | dvoc2 | | dvoc 2 | | dvoc2 | | | | | |
| | **Percent of** | **Number of** | **Number of** | **5/11** | **5/12** | **5/14** | **5/15** | **5/9** | **5/10** | **5/12** | **5/13** | **5/14** | **5/15** | **5/10** | **5/11** | **5/12** | **5/13** | **5/15** | **5/9** | **5/10** | **5/11** | **5/13** | **5/14** | **5/15** | **5/16** | **5/18** | **5/18** | **5/19** | **5/19** | **5/13** | **5/13** | **5/14** | **5/14** | **5/15** | | **5/18** | **5/19** | |
| | **years seen** | **years missed** | **years seen** | **2013** | **2012** | **2011** | **2010** | **2009** | **2008** | **2007** | **2006** | **2005** | **2004** | **2003** | **2002** | **2001** | **2000** | **1999** | **1998** | **1997** | **1996** | **1995** | **1994** | **1993** | **1992** | **1991** | **1991** | **1990** | **1990** | **1989** | **1989** | **1988** | **1988** | **1987** | **1986** | **1985** | **1984** | |
| Scarlet Tanager | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Scarlet Tanager |
| Northern Cardinal | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Northern Cardinal |
| Rose-breasted Grosbeak | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Rose-breasted Grosbeak |
| Blue Grosbeak | 90% | 3 | 26 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | X | X | X | X | | | X | Blue Grosbeak |
| Indigo Bunting | 93% | 2 | 27 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | | X | X | Indigo Bunting |
| Eastern Towhee | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Eastern Towhee |
| Chipping Sparrow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Chipping Sparrow |
| Field Sparrow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Field Sparrow |
| Vesper Sparrow | 72% | 8 | 21 | | X | X | X | X | X | X | X | X | X | X | | X | X | X | | X | X | X | X | X | X | X | X | X | | | | | | | | | | Vesper Sparrow |
| Savannah Sparrow | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | X | | X | X | Savannah Sparrow |
| Grasshopper Sparrow | 97% | 1 | 28 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | | X | X | X | X | X | | X | X | Grasshopper Sparrow |
| Nelson's Sparrow | 7% | 27 | 2 | | | | | | X | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | Nelson's Sharp-tailed Sparrow |
| Saltmarsh Sparrow | 86% | 4 | 25 | | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | X | X | X | | X | | X | | Saltmarsh Sharp-tailed Sparrow |
| Seaside Sparrow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Seaside Sparrow |
| Song Sparrow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Song Sparrow |
| Lincoln's Sparrow | 34% | 19 | 10 | | | | X | X | | | X | X | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | X | Lincoln's Sparrow |
| Swamp Sparrow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Swamp Sparrow |
| White-throated Sparrow | 76% | 7 | 22 | X | | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | X | | X | X | | | | X | X | X | X | | X | | | | X | White-throated Sparrow |
| White-crowned Sparrow | 55% | 13 | 16 | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | | | | | | | X | | | | | | | | | | | | X | White-crowned Sparrow |
| Dark-eyed Junco | 21% | 23 | 6 | | X | X | X | | X | | | | | X | | | | | | | | | | | | | | X | | | | | | | | | | Dark-eyed Junco |
| Lapland Longspur | 3% | 28 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | Lapland Longspur |
| Bobolink | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Bobolink |
| Red-winged Blackbird | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Red-winged Blackbird |
| Eastern Meadowlark | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Eastern Meadowlark |
| Rusty Blackbird | 14% | 25 | 4 | | X | | | | X | | | | | X | | X | | | | | | | | | | | | | | | | | | | | | | Rusty Blackbird |
| Boat-tailed Grackle | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Boat-tailed Grackle |
| Common Grackle | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Common Grackle |
| Brown-headed Cowbird | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Brown-headed Cowbird |
| Orchard Oriole | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | X | X | | X | X | Orchard Oriole |
| Baltimore Oriole | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | Baltimore Oriole |
| Purple Finch | 62% | 11 | 18 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | | | | | | | | X | | X | | | | | | X | Purple Finch |
| House Finch | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | House Finch |
| Pine Siskin | 17% | 24 | 5 | X | | | | X | | | | | | | X | | X | | | | | | | | | | X | X | | | | | X | | | | | Pine Siskin |
| American Goldfinch | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | American Goldfinch |
| House Sparrow | 100% | 0 | 29 | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | House Sparrow |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **278 species** | | | | **182** | **192** | **221** | **228** | **229** | **229** | **227** | **218** | **222** | **219** | **231** | **222** | **214** | **219** | **223** | **198** | **198** | **196** | **198** | **194** | **188** | **204** | **184** | **163** | **196** | **180** | **189** | **175** | **181** | **166** | **154** | NO | **182** | 189 | **278 species** |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TEAM | | | |
| **Standing/placement** | | | | **2nd** | **4th** | **1st** | **1st** | **1st** | **1st** | 2nd | 3rd | **1st** | **1st** | **1st** | 2nd | **T-1st** | **T-1st** | **1st** | 2nd | 6th | 8th | 9th | 7th | 9th | 2nd | 5th | T-15th | | 10th | 6th | 13th | 10th | | 12th | | **1st** | 3rd | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **Winning total** | | | | **186** | **207** | **221** | **228** | **229** | **229** | **230** | **229** | **222** | **219** | **231** | 224 | **214** | **219** | **223** | 200 | 217 | 229 | 225 | 218 | 215 | 205 | 199 | 199 | 210 | 210 | 201 | 201 | 200 | 200 | 205 | 199 | **182** | 201 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **Year** | | | | **2013** | **2012** | **2011** | **2010** | **2009** | **2008** | **2007** | **2006** | **2005** | **2004** | **2003** | **2002** | **2001** | **2000** | **1999** | **1998** | **1997** | **1996** | **1995** | **1994** | **1993** | **1992** | **1991** | **1991** | **1990** | **1990** | **1989** | **1989** | **1988** | **1988** | **1987** | **1986** | **1985** | **1984** | |